

Stand Construction Guidelines

No portion of an exhibitor's stand or display may exceed 2.50m in height. Exhibitors may not use anything that extends beyond the floor space allocated to them. This includes furniture, refrigeration equipment, plants, displays, lighting fixtures or decoration of any kind.


The standard height of all stands is 2.50m, all exhibitors receive PLMA's stand building restrictions together with their stand assignment confirmation. The maximum construction height of 1-unit stands is always 2.50m, only exhibitors in stands as of 2 units may request a waiver of the standard height restriction. **Those exhibitors wishing to build higher than 2.50m and all exhibitors in stands of 3 units and larger must submit a detailed stand design, including front and side views and all dimensions, for approval to PLMA (operations@plma.nl) no later than 17 March.**

If any construction is erected that violates PLMA's Building Restrictions or deviates from an approved design, PLMA has the right to perform, at the exhibitor's expense and without further approval from the exhibitor, any work necessary to bring such a construction into full compliance with the restrictions. Neither PLMA nor its contractors shall be in any way liable for any damage to the exhibitor's display that results from such work.


Exhibitors may, at their own expense, install special displays, counters, shelving and decorations provided that they are in accordance with the above and with appropriate safety regulations. However, no exhibitor may obstruct the view or detract from the décor of any adjacent exhibitor nor the trade show in general. This includes the operation of any audio or video system that may interfere with any other exhibitors. PLMA reserves the right to require any exhibitor found in violation of this rule to make necessary modifications to remove the obstruction or cause of complaint.

All exhibitors must clearly display their company name and stand number in their stands. PLMA reserves the right to approve all signs/logos.

Below you will find two samples with basic dimensions, [click here to consult the Shell Scheme Fact Sheet with detailed measurements](#). If you are unsure that your stand complies with the above guidelines, please contact PLMA Trade Show Operations at operations@plma.nl.



Basic sample of a 1-unit (3m x 3m) shell scheme stand



Basic sample of a multiple-unit shell scheme stand

In accordance with the [Terms and Conditions](#), PLMA reserves the right to update information and schedules if required by such guidelines or restrictions.